The Beneficial Qualities and Purity of Maharishi Honey

are Documented by Laboratory Tests

1400 Harrison Avenue Cincinnati, OH 45214 www.QLABORATORIES.com



Phone: (513) 471-1300 Fax: (513) 471-5600 Email: qlabs@fuse.net

March 11, 2005 Q Lab Reference No. <u>104447</u>

ADDENDUM REPORT, MARCH 21,2005

MOVA GmbH K. Meidel Str. 7 A-4910 Ried Innkreis, Austria

1

The following results were obtained from the samples(s) submitted to Q Laboratories, Inc. on February 7, 2005 for assay:

SAMPLE IDENTIFICATION

QLAB NO. CLIENT'S IDENTIFICATION OF SAMPLE

B/GM/10-04a/VM/MT1 03-23-04 (T-1) (2) 03-12-04 (T-2) (1) 18-10-04 (T-3) (1)

METHODOLOGY

<u>TEST</u> <u>METHOD</u>

Aerobic Plate Count (APC)

Yeast and Mold

Clostridium perfringens

Bacillus cereus

FDA Bacteriological Analytical Manual

FDA Bacteriological Analytical Manual

FDA Bacteriological Analytical Manual

Cholramphenicol ELISA

Riboflavin Journal AOAC Vol. 76 No. 5, 1993

Folic Acid HPLLC
Vitamin B6 (Pyridoxine) HPLC
Niacin HPLC
Pantothenic Acid HPLC

Vitamin C j of AOAC 75 No. 5, 1992

Ethanol GC Assay

Total Acidity AOAC (2000) 969.38A Hydroxymethylfural AOAC (2000) 969.38A

Manganese ICP Cadmium ICP

Moisture AOAC (2000) 969.38A Total Solids AOAC (2000) 969.38A

Potassium ICP
Calcium ICP
Magnesium ICP
Sodium ICP
Phosphorus ICP

Chloride SMWW 4500-C1-B

Iron ICP
Lead ICP
Mercury Cold Vapor

Thiamine Journal AOAC Vol. 76 No. 5, 1993

Sugar Profile AOAC (2000) 982.14

Q Lab Reference No. 104447 - ADDENDUM REPORT, MARCH 21, 2005 March 11, 2005

Page 2 of 2

RESULTS

ASSAY	<u>LIMIT</u>	Q LAB NO. 1
APC/mg		10
Yeast/gm		< 10
Mold/gm		< 10
Clostridium perfringens/gm		< 10
Bacillus cereus/gm		< 3
Cholramphenicol/gm		Negative
mg/100g Riboflavin	<0.3 avg	0.014
mg/100g Folic Acid	<001 avg	0.05
mg/100g Vitamin B6 (Pyridoxine)	<0.002 avg	0.24
mg/100g Niacin	<0.3 avg	1.5
mg/100g Pantothenic Acid	<0.25 avg	9.2
mg/100g Vitamin C	<0.5 avg	1.0
% Ethanol		< 0.10
% Total Acidity (as acetic acid)	0.17 - 1.17	0.34
mg/100g Hydroxymethylfural		0.59
mg/100g Manganese	0.15 avg	< 0.2
mg/100g Cadmium		< 0.2
% Moisture	18.6 max	16.20
% Total Solids		83.80
mg/100g Potassium	50.0 avg	33.2
mg/100g Calcium	4.8 avg	2.5
mg/100g Magnesium	2.0 avg	4.1
mg/100g Sodium	2.85 avg	1.9
mg/100g Phosphorus	5.0	5.7
mg/100g Chloride		0.012
mg/100g Iron	0.25 avg	< 0.2
mg/100g Lead		< 0.2
mg/100g Mercury		< 0.04
mg/100g Thiamine	0.01 avg	< 0.5
Sugars:		
% Glucose		34.0
% Fructose		37.1
% Lactose		< 0.2
% Maltose		< 0.2
% Sucrose		1.0
Fructose/Glucose Ration		1.09

^{*}Limits/ranges are from the national Honey Board (*S)

O LABORATORIES, INC.

David G. Goins, President