

The Antioxidant Qualities of
Maharishi Honey
are Documented by Laboratory Tests



6 Thatcher Lane
Wareham, MA 02571 USA

Phone: 508.291.1830

Fax: 508.295.6615

Report for MVOA GmbH

Sample ID	Brunswick Lab ID	ORAC _{hydro} FL* (μ moleTE/g)
B/MRm/11-04a /VM/MT11	05-0257	12

*The ORAC_{FL} analysis, which utilizes Fluorescein as the fluorescent probe, provides a measure of the scavenging capacity of antioxidants against the peroxy radical, which is one of the most common reactive oxygen species (ROS) found in the body. ORAC_{hydro} reflects water-soluble antioxidant capacity. Trolox, a water-soluble Vitamin E analog, is used as the calibration standard and the ORAC result is expressed as micromole Trolox equivalent (TE) per gram.

The acceptable precision of the ORAC assay is 15% relative standard deviation. ¹

Testing performed by T. Zhang.

Approved by:  Boxin Ou, PhD.

B-2848a/ 2-9-05 jt

¹ Ou, B; Hampsch-Woodill, M.; Prior, R.S; Development and Validation of an Improved Oxygen Radical Absorbance Capacity Assay using Fluorescein as the Fluorescent Probe. Journal of Agricultural and Food Chemistry.; **2001**; 49(10); 4619-4626

MVOA GmbH honeys range from 2 to 12 (μ moleTE/g)

IMPROVING HEALTH THROUGH SCIENCE