

The Antioxident Qualities of
Maharishi Honey
are Documented by Laboratory Tests from:

MAHARISHI HONEY MADHU TASTE 19

6 Thatcher Lane
Wareham, MA 02571 USA
Phone: 508.291.1830
Fax: 508.295.6615



Report for MVOA GmbH

Sample ID	Brunswick Lab ID	ORAC _{hydro} * (μ moleTE/g)
B/APmx/03-05-05a/VMnm/MT19	06-0170	4

*The ORAC analysis provides a measure of the scavenging capacity of antioxidants against the peroxy radical, which is one of the most common reactive oxygen species (ROS) found in the body. ORAC_{hydro} reflects water-soluble antioxidant capacity. Trolox, a water-soluble Vitamin E analog, is used as the calibration standard and the ORAC result is expressed as micromole Trolox equivalent (TE) per gram.

The acceptable precision of the ORAC assay is 15% relative standard deviation.¹

Testing performed by K. Pappalardo and J. Flanagan.

Approved by: _____
Boxin Ou, PhD.

B-3962 / 1-27-06 jt

¹ Ou, B; Hampsch-Woodill, M.; Prior, R. L.; Development and Validation of an Improved Oxygen Radical Absorbance Capacity Assay using Fluorescein as the Fluorescent Probe. Journal of Agricultural and Food Chemistry.; **2001**; 49(10); 4619-4626

MVOA GmbH honeys ORAC range from 2 to 12 μ moleTE/g.